

MEDIATION IN TECHNOLOGY OFFERING FAIR LIFE TO THE WORLD!



SilverLife Product Presentation

MediTec SilverCare department as part of MediTec Group is dedicated to development of good health and the elevation of the general health progress of people. In order to attain good health, nutritious food, clean water and a functioning immune system is paramount objectives.

SilverLife is a liquid immune boosting pure silver mineral supplement, with no side effects on the human body or the environment, shown by the World Health Organization, WHO, and the the US Environmental Protection Agency, EPA. SilverLife is an approved product by WHO (WHO; 1994) and EU (COMMISSION REGULATION (EC) No 1048/2005; Silver: 231-131-3, 7440-22-4, SK) and is sold in authorized pharmacies and health shops, for people with temporary or permanent low immune system, based on WHO full human safety of pure silver.

The manufacturing of the SilverLife product is highly complicated because the low concentration of the silver mineral must be made with absolutely pure water and that the dispersed form of the pure mineral, in order to be active, has to stay in solution. MediTec has during an extensive period done research on the effect of pure silver mineral. MediTec operates with top of the art machinery for top of the line manufacturing and our mission is the production of the supreme quality, immune boosting, pure silver mineral product; SilverLife.

MediTec Group HQ - Sweden Add: 45179 Grundsund Sweden Int. Tel: +46 31 3608892

Int. Fax: +46 523 127808 Mail: Info@MediTec.SE Web: www.MediTec.se MediTec International FairLife Group AB Org Nr: 556886-2386 CVR Nr: SE556886238601

> Member Chamber of Commerce

SEB Bank - Sweden
IBAN:SE7550000000051801103887
BIC: ESSESESS

Swedish Banking: SEB Bankgiro: 858-1266 SEB Account: 5180-110 3887



Mediation in Technology Offering Fair Life to the World!

MediTec Limited Company Presentation

MediTec is a company dealing in health development regarding pharmaceuticals, solar driven water purification and sustainable energy production. The company has extensive experience of silver mineral products. The SilverCare department holds equipment for production of silver immune boosting products of the highest quality. This top of the art technology result in a product second to none.

SilverLife Pure Silver Mineral Product Presentation

MediTec SilverCare department produces the supreme quality, pure silver mineral immune boosting product SilverLife. SilverLife is in solution for meant for ingestion, spraying on skin and surfaces plus for water purification.

Human use of the water solution of silver is based on the fact that the body consists of 70 % water and that water is the most important component in the body. To attain an optimally functioning body, high capacity immune boosting products are of supreme importance. In cases of low immune system SilverLife is needed to uphold full body function.

Human Pure Silver Mineral Ingestion

In 1940 the natural intake for the human body of silver in USA was 88 microgram per day (Kehoe et al., 1940). Studies on silver mineral in 1972, show that natural human ingestion was 27-88 microgram per day (Hamilton et al., 1972/1973). Today the maximum general natural availability of the immune boosting capacity of the silver mineral is 2 - 8 microgram per day (WHO, 1984; Gibson et al., 1984).

Using 10 - 30 ml of SilverLife, reestablishes the same natural intake of silver as in the 1940's. Silver mineral as immune boosting mineral fully compensate the natural intake of the mineral, whilst being fully safe to the human body.

WHO and EPA Silver Mineral NOAEL and LOAEL Recommendation

WHO has given the NOAEL, No-Observed-Adverse-Effect-Level in mineral safety studies, of 10 grams of silver mineral over a lifetime and the LOAEL, Lowest-Observed-Adverse-Effect-Level in mineral safety studies, of 25 grams of the mineral silver over a lifetime (WHO, 1993, 2nd ed. Vol. 1). SilverLife is recommended use is 10 - 30 ml per day.

SilverLife daily WHO recommendation intake of 30 ml per day over **330 years** lifetime will safely meet the WHO NOAEL reference. An intake of 10 ml/day for **900 years** is safely under NOAEL reference. With 10 ml a day for **2250 years** you remain under LOAEL reference of 25 grams of safe intake over a lifetime (U.S. EPA, 1996, 3432-64/7440-22-4).

Fully Safe Pure Silver Mineral Immune Boosting Product SilverLife

Only in the latest decades has pure mineral technology begun to evolve and is today a most valuable science where we fully can understand the wide aspects of possibilities of the applications of this field (Havel et al., 2008). Studies made on usage of pure metallic silver consistently show no aversive effects on human health (Hill and Pillsbury, 1939; Rosenman et al., 1987; Pifer et al., 1989; Breitstadt, 1995; Williams and Gardner, 1995) as metallic pure forms of silver has no negative effect on the human body (Drake et al., 2005).

Today leading edge mineral suspension technology exists to produce SilverLife surface disinfection, water purification product that also in low concentration, in a natural manner assist the body immune system (Havel et al., 2008). The SilverLife technology has been developed in the 21st century. Through this technology a pure form of the silver mineral is produced, assisting the immune capacity, whilst yet being a natural product. The mineral is used for ingestion, as spraying on the skin and surfaces plus for water purification, with no negative effect on the human body.

SilverLife is effective in the low 3 ppm, parts per million, concentration and so provides wide margins of safety whereas by definition being non-toxic (Hussain et al., 2005; Hussain et al., 2006; Saber, 2006; Braydich-Stolle et al., 2005; Georgsen, 2007). SilverLife is giving optimal efficiency through the oxidation capacity that takes out germ in the body, on skin, surfaces and in polluted water (Soto et al., 2008).

MediTec Group HQ - Sweden Add: 45179 Grundsund Sweden

Int. Tel: +46 31 3608892 Int. Fax: +46 523 127808 Mail: Info@MediTec.SE Web: www.MediTec.se MediTec International FairLife Group AB Org Nr: 556886-2386

Chamber of Commerce

CVR Nr: SE556886238601

Member

<u>SEB Bank - Sweden</u> IBAN:SE755000000051801103887 BIC: ESSESESS

Swedish Banking: SEB Bankgiro: 858-1266 SEB Account: 5180-110 3887



MEDIATION IN TECHNOLOGY OFFERING FAIR LIFE TO THE WORLD!

SilverLife recommended 10 - 30 ml per day give a wide safety margin to established regulatory data where WHO and EPA state that silver mineral of 3 ppm SilverLife is safe by its most rigorous recommendation (WHO, 1993, 2nd ed. Vol. 1; U.S. EPA, 1996, 3432-64/7440-22-4).

SilverLife Pure Silver Mineral Immune Boosting Function

Silver mineral, as a natural immune boosting product assists the body as it is a natural part of human environment (Havel et al., 2008) that offer aiding ability to the body tissue generating acceleration of tissue reparation process whilst used internally and topically (Soto et al., 2008). Silver is recognized for its oxygen carrying capacity.

Oxygen is essential for life and enhances cell breathing. Silver oxidizing capacity assist the immune system neutralizing anaerobic parasites such as bacteria, myco-bacteria, plasmodium, fungus and virus used internally, in water purification, topically and on surfaces (Che et al., 2003; Samuel et al., 2004; Elechiguerra et al., 2005; Matveeva et al., 2005; Melayie et al., 2005; Lok et al., 2006; Sawosz et al., 2007; Jia et al., 2007; Kim et al., 2008 a; Kim et al., 2008 b; Gerber et al., 2008; Gopiah et al., 2008; Lara et al., 2010).

Normal cellular homeostasis involves a delicate balance between the rate of oxidative production and the rate of antioxidant elimination function (Soto et al., 2008) why the low 3 ppm mineral product concentration is valuable.

It is well documented that the oxidative effects of particles of silver in the body, at the low concentration of 3 ppm, has no negative health effects on the human body and that this concentration supports the cell structure of the body (Furst and Schlauder, 1978; U.S. EPA, 1980; WHO, 1993; Hussain el al, 2005; Braydich-Stolle et al., 2005; Saber, 2006; Hussain et al, 2006; Georgsen, 2007) as well as the mineral oxidation neutralizes parasites.

Used at the fully safe 3 ppm concentration your daily administration of SilverLife immune boosting products is of importance for optimally functioning immune system and general health development of your body functions.

SilverLife is found in authorized pharmacies and health stores presented by professionally trained personnel as MediTec SilverCare department is taking pride in constant education and development of the latest technology on manufacturing and pharmaceutical research in the medical field in cooperation with governmental authorities and reputable hospitals.

SilverLife - Your Future Health!

Daniel Jinnefält, Grundsund, Sweden, 2013-07-21

M.Sc. Env.Sc. | B.Sc. Geo.Sc. | B.Sc. Soc. Dev.Sc.

President MediTec International FairLife Group AB

MediTec International FairLife Group Aktiebolag

A: MediTec Group AB | SE - 451 79 Grundsund Sweden

E: Info@MediTec.SE | O: +46 31 360 8892 | F: +46 523 781 208 | W: www.MediTec.se

MediTec Group HQ - Sweden Add: 45179 Grundsund Sweden

Int. Tel: +46 31 3608892 Int. Fax: +46 523 127808 Mail: Info@MediTec.SE Web: www.MediTec.se

MediTec International FairLife Group AB Org Nr: 556886-2386

CVR Nr: SE556886238601

Member Chamber of Commerce SEB Bank - Sweden IBAN:SE7550000000051801103887

BIC: ESSESESS Swedish Banking: SEB Bankgiro: 858-1266 SEB Account: 5180-110 3887



MEDIATION IN TECHNOLOGY OFFERING FAIR LIFE TO THE WORLD!

References

Aaseth J, Olsen A, Halse J et al. (1981) Argyria-tissue deposition of silver as selenide. Scan J Clin Lab Invest; 41: 247–51.

Baldi, C: Minoia, C: Di Nucci, A: Capodaglio, E: Manzo, L, Effects of silver in isolated rat hepatocytes. Toxicol-Lett. 1988 Jun; 41(3): 261-8

Barrie HJ, Harding HE. (1947) Argyro-siderosis of the lungs in silver finishers. Br J Ind Med; 4: 225-32.

Bouts BA. (1999) Argyria: images in clinical product. N Eng J Med; 340: 1554.

Braydich-Stolle, L.; Hussain, S.; Schlager, J. J.; Hofmann, M. C., In vitro cytotoxicity of nanoparticles in mammalian germline stem cells. Toxicol. Sci. 2005, 88 (2), 412-419.

Breitstadt R. (1995) Occupational exposure limits for metallic silver. In Proceedings of the 2nd European Precious Metals Conference, Lisbon, Portugal. May 10–12, 1995; 1–13.

Buckley WR. (1963) Localized argyria. Arch Dermatol; 88: 531-9.

Drake P. L., Hazelwood, Kyle J. Exposure-Related Health Effects of Silver and Silver Compounds: A Review. Annals of Occupational Immune, Volume 49, Number 7, 2005, pp. 575-585(11).

East BW, Boddy K, Williams ED et al. (1980) Silver retention, total body silver and tissue silver concentrations in argyria associated with exposure to an anti-smoking remedy containing silver acetate. Clin Exp Dermatol: 5: 305–11.

Elechiguerra, JL; Burt, JL; Morones, JR; Camacho-Bragado, A; Gao, X; Lara, HH; Yacaman, MJ. Interaction of silver nanoparticles with HIV-1. J Nanobiotechnology. 2005; 3:6. doi: 10.1186/1477-3155-3-6.

European Union; COMMISSION REGULATION (EC) No 1048/2005; Silver: 231-131-3, 7440-22-4, SK; 2005.

Feng, Q. L.; Wu J, Chen G. Q. Cui F.Z., Kim T. N., Kim J.O. A Mechanistic study of the antibacterial effect of silver ions on Escheria coli and Staphylococcus aureus. Tsing ua University, Bejing. 2000.

Fisher NM, Marsh E, Lazova R. (2003) Scar-localized argyria secondary to silver sulfadiazine cream. J Am Acad Dermatol; 49: 730-2.

Fung MC, Bowen DL. (1996) Silver products for medical indications: risk-benefit assessment. Clin Toxicol; 34: 119-26.

Furst A, Schlauder MC. (1978) Inactivity of two noble metals as carcinogens. J Environ Pathol Toxicol; 1: 51-7

Jensen EJ, Rungby J, Hansen JC et al. (1988) Serum concentrations and accumulation of silver in skin during three months treatment with an anti-smoking chewing gum containing silver acetate. Hum Toxicol: 7: 535–40

Georgsen M., An in vitro toxicity study of a colloid silver health product and atomic quantum clusters of silver and gold, The Faculty of Pharmaceutical Sciences, Copenhagen University, 2007.

Gerber S, Kirchhof K, Kressler J, Schmelzer CE, Scholz C, Hertel TC, Pietzsch M. Cloning, expression, purification, and characterization of a designer protein with repetitive sequences. Protein Expr Purif. 2008 Jun;59(2):203-14. Epub 2008.

Gibson, R.S. and Scythes, C.A. Chromium, selenium, and other trace element intake of a selected sample of Canadian premenopausal women. Biol. Trace Elem. Res., 6: 105 (1984).

Gopinath P., Gogoi S.K., Chattopadhyay A., Ghosh S.S. Implications of silver nanoparticle induced cell apoptosis for in vitro gene therapy. P Gopinath et al 2008 Nanotechnology 19 075104 (10pp)

Gulbranson SH, Hud JA, Hansen RC. (2000) Argyria following the use of dietary supplements containing colloidal silver protein. Cutis; 66: 373-6.

Hamilton, E.I. and M.J. Minski. Abundance of the chemical elements in man's diet and possible relations with environmental factors. Sci. Total Environ. 1: 375-394. 1972/1973.

Havel J., Pe^na-Méndez E. M., Panyala N.R. Silver or nanoparticles a thereat to the environment and human health? J. Appl. Biomed. 6:117-129, 2008.

Hill WR, Pillsbury DM. (1939) Argyria: the pharmacology of silver. Baltimore, MD: Williams & Wilkins Company.

Hussain S.M., Javorin A.K., Schrand A. M., Duhart H. M., Ali S. F. and Schlager In vitro toxicity of nanoparticles in BRL 3A rat liver cells. Toxicology in Vitro 19 (2005) 975–983

Hussain S.M., Javorin A.K., Schrand A. M., Duhart H. M., Ali S. F. and Schlager J. J. The Interaction of Manganese Nanoparticles with PC-12 Cells Induces Dopamine Depletion. Toxicological Sciences 2006 92(2):456-463; doi:10.1093/toxsci/ld1020

Jacobs R. (1998) Rosemary's story. Accessed on November 2004.

Jia H, Hou W, Wei L, Xu B, Liu X.The structures and antibacterial properties of nano-SiO2 supported silver/zinc-silver materials. Dent Mater. 2008;24(2):244-9. Epub 2007.

Kehoe, R.A., Cholak, J. and Story, R.V. Manganese, lead, tin, aluminum, copper, and silver in normal biological material. J. Nutr., 20:85 1940.

Kim KJ, Sung WS, Suh BK, Moon SK, Choi JS, Kim JG, Lee DG. Antifungal effect of silver nanoparticles on dermatophytes. J Microbiol Biotechnol. 2008 a.;18(8):1482-4.

Kim KJ, Sung WS, Suh BK, Moon SK, Choi JS, Kim JG, Lee DG. Antifungal activity and mode of action of silver nano-particles on Candida albicans. Biometals. 2008 b.

MediTec Group HQ - Sweden Add: 45179 Grundsund Sweden Int. Tel: +46 31 3608892

Int. Fax: +46 523 127808 Mail: Info@MediTec.SE Web: www.MediTec.se MediTec International FairLife Group AB Org Nr: 556886-2386

CVR Nr: SE556886238601

Member Chamber of Commerce SEB Bank - Sweden

IBAN:SE7550000000051801103887

BIC: ESSESESS Swedish Banking: SEB Bankgiro: 858-1266

SEB Account: 5180-110 3887



MEDIATION IN TECHNOLOGY OFFERING FAIR LIFE TO THE WORLD!

Humberto H Lara*, Nilda V Ayala-Nuñez, Liliana Ixtepan-Turrent, Cristina Rodriguez-Padilla., Mode of antiviral action of silver nanoparticles against HIV-1; 2010

Lee SM, Lee SH. (1994) Generalized argyria after habitual use of AgNO₃. J Dermatol; 21: 50–3.

Lok CN, Ho CM, Chen R, He QY, Yu WY, Sun H, Tam PK, Chiu JF, Che CM. Proteomic analysis of the mode of antibacterial action of silver nanoparticles. J Proteome Res. 2006;5(4):916-24

MacIntyre D. (1978) Silver poisoning associated with anti-smoking lozenge. Br Med J; 2: 1749-59.

Matveeva NB, Egorova EM, Beïlina SI, Lednev VV. Chemotaxis as a method for testing of the biological effects of silver nanoparticles. Biofizika. 2006;51(5):859-65. Russian.

Marshall JP II, Schneider RP. (1977) Systemic argyria secondary to topical silver nitrate. Arch Dermatol; 113: 1077–9.

Melaiye A, Sun Z, Hindi K, Milsted A, Ely D, Reneker DH, Tessier CA, Youngs WJ. Silver(I)-imidazole cyclophane gem-diol complexes encapsulated by electrospun tecophilic nanofibers: formation of nanosilver particles and antimicrobial activity. J Am Chem Soc. 2005 Feb 23;127(7):2285-91.

Nordberg G, Gerhardsson L. (1988) Silver. In Seiler HG, Sigel H, Sigel A, editors. Handbook on toxicity of inorganic compounds. New York Marcel Delker. pp. 619-24.

Pifer JW, Friedlander BR, Kintz RT et al. (1989) Absence of toxic effects in silver reclamation workers. Scand J Work Environ Health; 15: 210-21.

Rosenman KD, Seixas N, Jacobs I. (1987) Potential nephrotoxic effects of exposure to silver. Br J Ind Med; 44: 267-72.

Saber M. Hussain, Amanda K. Javorina, Amanda M. Schrand, Helen M. Duhart, Syed F. Ali and John J. Schlager. The Interaction of Manganese Nanoparticles with PC-12 Cells Induces Dopamine Depletion. Toxicological Sciences 2006 92(2):456-463. 2006.

Samuel U, Guggenbichler JP. Prevention of catheter-related infections: the potential of a new nano-silver impregnated catheter. Int J Antimicrob Agents. 2004;23 Suppl 1:S75-8.

Sawosz E, Binek M, Grodzik M, Zielińska M, Sysa P, Szmidt M, Niemiec T, Chwalibog A. Influence of hydrocolloidal silver nanoparticles on gastrointestinal microflora and morphology of enterocytes of quails. Arch Anim Nutr. 2007;61(6):444-51.

She WJ, Zhang FQ. Comparison of the antibacterial activity on oral pathogens among six types of nano-silver base inorganic antibacterial agents. Shanghai Kou Qiang Yi Xue. 2003;12(5):356-8.

Smith IC, Carson BL. (1977) Trace metals in the environment, Vol. 2—Silver. Ann Arbor, Michigan: Ann Arbor Science.

Soto KF, Murr LE, Garza KM: Cytotoxic Responces and Potetial Respiratory Health Effects of Carbon and Carbonaceous Nanoparticulates in the Paso lel Norte Airshed Environment. Int. J. Environ. Res. Public Health 5:12-25, 2008

Steininger H, Langer E, Stommer P. (1990) Generalized argyria. Dtsch Med Wochenschr; 115: 657–62.

Tomi NS, Kränke B, Aberer W. (2004) A silver man. Lancet; 363: 532.

U.S. EPA FQPA Food Quality Protection Act Implementation Activities Registered: Silver as a broad-spectrum preservative silver mineral. EPA registration number: 3432-64.Environmental Protection Agency (EPA)/IRIS CASRN 7440-22-4, (1996)

U.S. Environmental Protection Agency. Ambient water quality criteria: silver. NTIS Document No. PB81-117822, Environmental Criteria and Assessment Office, October (1980).

Van Garsse L., Versieck J. (1995) Generalized argyria caused by administration of tobacco-withdrawal tablets containing silver acetate. Ned Tijdschr Geneeskd; 139: 2658-61.

Venug opal B. Luckev TD. editors. (1978) Metal toxicity in mammals. In Chemical toxicology of metals and metalloids. New York Acedemic Press. pp. 32–36

World Health Organization. Guidelines for drinking-water quality. Vol. 2. Health criteria and other supporting information. Ch. 15. Geneva (1984).

World Health Organization Guidelines for drinking-water quality, 2nd ed. Vol. 1. Recommendations. Geneva, World Health Organization, 1993. pp. 54-55.

Williams N, Gardner I. (1995) Absence of symptoms in silver refiners with raised blood silver levels. Occup Med; 45: 205-08.

MediTec Group HQ - Sweden Add: 45179 Grundsund Sweden Int. Tel: +46 31 3608892

Int. Fax: +46 523 127808 Mail: Info@MediTec.SE Web: www.MediTec.se MediTec International FairLife Group AB Org Nr: 556886-2386

CVR Nr: SE556886238601

Member Chamber of Commerce

<u>SEB Bank - Sweden</u> IBAN:SE755000000051801103887

BIC: ESSESESS
Swedish Banking:
SEB Bankgiro: 858-1266
SEB Account: 5180-110 3887